

NOVALINE STYLE



Combining contemporary looks and versatility

A STYLISH LOOK IN MULTIPLE APPLICATIONS

Novaline Style is an elegant and slim, circular luminaire that provides diffuse light from the front, and a subtle 10 % backlight. It can be wall or ceiling mounted, as well as suspended from a ceiling with an elegant rod pendant or a wire suspension pendant.

Novaline Style has been designed to look great in areas that people move through, as well as stylish in social areas like breakout zones. The luminaire blends into its surrounding environments and delivers where efficient lighting is needed. Thanks to its IP54 water splash-resistance it can also be used in covered external walkways.

Easy to optimise, you can increase Novaline Style's functionality through a variety of controls. It can also be wirelessly commissioned and controlled from both a tablet and a smartphone.

Office, Education, Healthcare, Retail, Hospitality and Residential.

Just some of the many applications that Novaline Style is a great fit for.



Corridors, circulation areas



Breakout spaces



Staircases, walkways







A VERSATILE FAMILY

These slim, circular luminaires come in three different dimensions, 320 mm, 400 mm and 500 mm. A single size used multiple times creates sleek uniformity, while a more dynamic appearance can be created by using multiple sizes in combination.

Available with different lumen outputs that range from 1400 lm up to 5000 lm, the Novaline Style family can be used across multiple projects. Featuring an opal optic for comfort and 10 % indirect light to wash the surface with a subtle backlight*.



Download the free **4remoteBT** app provided by Tridonic, a Member of the Zumtobel Group.





Wire pendant

*Backlight effect will be more prominent when the product is surface mounted.

HOUSING COLOUR

The high-quality housing is available in a choice of three colours – white, black or silver, making it adaptable to design requirements.



SLIM DESIGN

Novaline Style has a frame depth of only 37 mm. A perfect slim design for a light and modern look.

FLEXIBLE TECHNOLOGY

The numerous control variations of this luminaire increase its flexibility and efficiency of use. The range goes from simple switchable luminaires through to different corridor functionalities and wireless controls. The integrated wireless communication allows for Bluetooth control and commissioning.

Novaline Style is also available with an emergency lighting mode via a self-contained or central battery (DALI versions only), delivering up to three hours of emergency lighting.



Rod pendant




Ceiling surface mounted




Wall surface mounted


INSTALLATION OPTIONS


Have more flexibility in your lighting design by using Novaline Style. This elegant luminaire can be both wall and ceiling surface mounted. The two pendant options are either a rod or wire suspension that both complement the overall design. Easy and simple to install, Novaline Style has a quick fix mounting system to optimise installation time.




WALL AND CEILING SURFACE MOUNTED










ROD PENDANT MOUNTED









WIRE SUSPENSION PENDANT MOUNTED








DISCOVER


NOVALINE STYLE














	320 mm	400 mm	500 mm
<u>\</u>	1400 lm, 1900 lm	2500 lm, 3500 lm	4000 lm, 5000 lm
Ø	Up to 133 lm/W		
	3000 K , 4000 K		
CRI	80		
UGR	<22 (lower output) , <25 (higher output)		
00	IP54		
***	White (WH), Black (BK), Silver (SR)		
R	90° 450-300-150 90° 60° 60°		
		−15 to 25 °C	





IK08





50 000 h L80 @ 25°C



Wall / Ceiling surface mounted, Rod pendant, Wire suspension pendant



37 mm (bezel only) with 32 mm gear tray



E3, E3D



Fixed output (HF), DALI Dimmable (HFI), Bluetooth Wireless (BC), Microwave sensor (MWS), Corridor function (COR, COZ)















GET IN TOUCH

www.thornlighting.com/contact





